



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914  
California Contractor's License No. 722373

## SONIC-VDL- LOG

<b>FILING NO.</b>	COMPANY <u>UNAVCO</u>		
	WELL <u>B-060</u>		
	FIELD <u>San Juan Bautista</u>		
	STATE <u>California</u>	COUNTY <u>San Benito</u>	
	LOCATION: <u>San Juan Road</u>		OTHER SERVICES: <b>Caliper ELOG BHTV</b>
<b>JOB NO.</b> <b>6948</b>	SEC: <u>3</u> TWP: <u>13S</u> RGE: <u>4E</u> LAT.: <u>36° 49' 21.6"</u> LONG.: <u>121° 31' 35.4"</u> MERIDIAN.: <u>Mt. Diablo</u>		

Permanent Datum: Ground Level, Elev. 305 Ft. Elev.: K.B. \_\_\_\_\_ Ft.  
 Log Measured From: Top of Casing, 0 Ft. Above Perm. Datum D.F. \_\_\_\_\_ Ft.  
 Drilling Measured From: Ground Level G.L. 305 Ft.

Date	<u>Jan. 13, 2007</u>		
Type Of Log	<u>Sonic</u>		
Run	<u>One</u>		
Depth-Driller	<u>800</u> Ft	Ft	Ft
Depth-Logger	<u>800</u> Ft	Ft	Ft
Top Logged Interval	<u>470</u> Ft	Ft	Ft
Btm. Logged Interval	<u>791</u> Ft	Ft	Ft
Type Fluid In Hole	<u>Bentonite</u>		
Fluid Level	<u>Full</u> Ft	Ft	Ft
Max Temp	<u>66.5</u> °F	°F	°F
Operating Rig Time	<u>.75</u> Hr	Hr	Hr
Van No.	Location	<u>LV-1</u>	<u>Bfld</u>
Recorded By	<u>Dan Ihde</u>		
Witnessed By	<u>Alan Stroeve</u>		

RUN NO.	BOREHOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	TYPE	FROM	TO
<u>1</u>	<u>6</u> In	<u>490</u> Ft	<u>800</u> Ft	<u>6.25</u> In	<u>Steel</u>	<u>0</u> Ft	<u>490</u> Ft
<u>2</u>	In	Ft	Ft	In		Ft	Ft
<u>3</u>	In	Ft	Ft	In		Ft	Ft

## Miscellaneous Information

Remarks:

A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.

Drilled By: Cascade Drilling

Perforated Intervals:


Line Speed:


Borehole Volume Calculations:


Other Information:


**NOTICE: All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.**

*welenco, inc. January 13, 2007*

SONIC-VDL- LOG

DEPTHS  
Single Page

240 Transit Time (µSec/ft) 40

200 Near P Wave (µsecs) 1200 200 Far P Wave (µsecs) 1200  
200 Near Variable Density (µsecs) 1200 200 Far Variable Density (µsecs) 1200

