



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914  
 California Contractor's License No. 722373

## ELECTRIC - GAMMA RAY - TEMPERATURE LOG

FILING NO.	COMPANY <u>UNAVCO</u>		
	WELL <u>B-081</u>		
	FIELD <u>Keenwild</u>		
	STATE <u>California</u>	COUNTY <u>Riverside</u>	
	LOCATION: <u>Off Hwy 243 near Helipad of Keenwild Fire Station.</u>		OTHER SERVICES: <u>Caliper</u>
JOB NO. <b>6105</b>	SEC: <u>30</u> TWP: <u>5S</u> RGE: <u>3E</u> LAT.: <u>33° 42' 40.2"</u> LONG.: <u>116° 42' 51.0"</u> MERIDIAN.: <u>San Bernardino</u>		

Permanent Datum: Ground Level, Elev. 4835 Ft. Elev.: K.B. \_\_\_\_\_ Ft.  
 Log Measured From: Ground Level, 0 Ft. Above Perm. Datum D.F. \_\_\_\_\_ Ft.  
 Drilling Measured From: Ground Level G.L. 4835 Ft.

Run No.	<b>One</b>						
Date	<b>Jun. 07, 2006</b>						
Depth-Driller	<b>800</b>	Ft		Ft		Ft	Ft
Depth-Logger	<b>797</b>	Ft		Ft		Ft	Ft
Top Logged Interval	<b>60</b>	Ft		Ft		Ft	Ft
Btm. Logged Interval	<b>796</b>	Ft		Ft		Ft	Ft
Casing-Driller	<b>8.25</b>	In @ <b>16</b>	Ft		In @	Ft	In @ Ft
Casing-Logger	<b>N/A</b>	In @	Ft		In @	Ft	In @ Ft
Bit Size	<b>7 - 500 ft</b>	In		<b>6 to 800 ft</b>	In		In
Time On Bottom	<b>3:00 PM</b>						
Type Fluid In Hole	<b>Water</b>						
Density	Viscosity						
pH	Fluid Loss						
			ml			ml	ml
Source of Sample	<b>N/A</b>						
Rm @ Measured Temp.	<b>N/A</b>	@	°F	@	°F	@	°F
Rmf @ Measured Temp.	<b>N/A</b>	@	°F	@	°F	@	°F
Rmc @ Measured Temp.		@	°F	@	°F	@	°F
Source Rmf	Rmc	<b>N/A</b>					
Rm @ BHT		@	°F	@	°F	@	°F
Time Since Circulation	<b>N/A</b>		Hr		Hr		Hr
Max. Rec. Temp.	<b>65</b>		°F		°F		°F
Van No.	Location	<b>LV-1</b>	<b>Bfld</b>				
Recorded By	<b>Dan Ihde</b>						
Witnessed By	<b>Sarah Venator</b>						

## Miscellaneous Information

Latitude, Longitude & Elevation values were determined using a recreational GPS accurate to +/- 45 feet. The Section, Township, and Range then determined using the TRS conversion program (TRS accuracy is not guaranteed). The NOTICE at the bottom of this heading applies.

### NOTICE

All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.

*welenco, inc. June 07, 2006*

ELECTRIC - GAMMA RAY - TEMPERATURE LOG

DEPTHS  
Single Page

< - S.P. (10 mV/div) + >

0 64 Inch Normal (ohmmeter<sup>2</sup>/m) 10000 | 100 Single Point (ohms) 1900  
0 16 Inch Normal (ohmmeter<sup>2</sup>/m) 10000 | 56 Temperature (°F) 66

