



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914
California Contractor's License No. 722373

3-ARM CALIPER LOG

FILING NO.	COMPANY <u>UNAVCO</u>	OTHER SERVICES: ELOG Sonic BHTV
	WELL <u>Sky Oaks</u>	
	FIELD <u>Sky Oaks Field Station</u>	
	STATE <u>California</u> COUNTY <u>San Diego</u>	
JOB NO. 6952	LOCATION: Sky Oaks Biological Field Station 31404 Chihuahua Valley Rd.	
SEC: <u>24</u> TWP: <u>9S</u> RGE: <u>3E</u> LAT.: <u>33° 22' 30.0"</u> LONG.: <u>116° 37' 11.4"</u> MERIDIAN.: <u>San Bernardino</u>		

Permanent Datum: Ground Level, Elev. 4500 Ft. Elev.: K.B. _____ Ft.
 Log Measured From: Ground Level, 0 Ft. Above Perm. Datum D.F. _____ Ft.
 Drilling Measured From: Ground Level G.L. 4500 Ft.

Date	Jan. 22, 2007		
Type Of Log	Caliper		
Run	One		
Depth-Driller	664 Ft	Ft	Ft
Depth-Logger	661 Ft	Ft	Ft
Top Logged Interval	180 Ft	Ft	Ft
Btm. Logged Interval	660 Ft	Ft	Ft
Type Fluid In Hole	Water		
Fluid Level	N/A Ft	Ft	Ft
Max Temp	65.0 °F	°F	°F
Operating Rig Time	N/A Hr	Hr	Hr
Van No.	Location	LV-1	Bfld
Recorded By	Dan Ihde		
Witnessed By	Mike Gottlieb		

RUN NO.	BOREHOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	TYPE	FROM	TO
1	6 In	197 Ft	664 Ft	6.25 In	Steel	0 Ft	197 Ft
2	In	Ft	Ft	In		Ft	Ft
3	In	Ft	Ft	In		Ft	Ft

Miscellaneous Information

Remarks:

A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.

Drilled By:

Perforated Intervals:

Line Speed:

Borehole Volume Calculations:

Other Information:

NOTICE: All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.


welenco, inc. January 23, 2007

3-ARM CALIPER LOG

DEPTHS

5 in/100ft

2 Bit Size (inches) 22
2 3-Arm Caliper (inches) 22




3-ARM CALIPER LOG

DEPTHS

5 in/100ft

2 Bit Size (inches) 22
2 3-Arm Caliper (inches) 22



3-ARM CALIPER LOG

DEPTHS

5 in/100ft

2 Bit Size (inches) 22
2 3-Arm Caliper (inches) 22

500

550

600

650

