



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914
California Contractor's License No. 722373

SONIC-VDL-LOG

FILING NO.	COMPANY <u>UNAVCO</u>		
	WELL <u>Sky Oaks</u>		
	FIELD <u>Sky Oaks Field Station</u>		
	STATE <u>California</u>	COUNTY <u>San Diego</u>	
	LOCATION: <u>Sky Oaks Biological Field Station</u>		OTHER SERVICES: <u>ELOG</u> <u>Caliper</u> <u>BHTV</u>
JOB NO. 6952	SEC: <u>24</u> TWP: <u>9S</u> RGE: <u>3E</u> LAT.: <u>33° 22' 30.0"</u> LONG.: <u>116° 37' 11.4"</u> MERIDIAN.: <u>San Bernardino</u>		

Permanent Datum: Ground Level, Elev. 4500 Ft. Elev.: K.B. _____ Ft.
 Log Measured From: Ground Level, 0 Ft. Above Perm. Datum D.F. _____ Ft.
 Drilling Measured From: Ground Level G.L. 4500 Ft.

Date	<u>Jan. 22, 2007</u>		
Type Of Log	<u>Caliper</u>		
Run	<u>One</u>		
Depth-Driller	<u>664</u> Ft	Ft	Ft
Depth-Logger	<u>661</u> Ft	Ft	Ft
Top Logged Interval	<u>180</u> Ft	Ft	Ft
Btm. Logged Interval	<u>654</u> Ft	Ft	Ft
Type Fluid In Hole	<u>Water</u>		
Fluid Level	<u>N/A</u> Ft	Ft	Ft
Max Temp	<u>65.0</u> °F	°F	°F
Operating Rig Time	<u>N/A</u> Hr	Hr	Hr
Van No.	Location	<u>LV-1</u>	<u>Bfld</u>
Recorded By	<u>Dan Ihde</u>		
Witnessed By	<u>Mike Gotlieb</u>		

RUN NO.	BOREHOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	TYPE	FROM	TO
1	6 In	197 Ft	664 Ft	6.25 In	Steel	0 Ft	197 Ft
2	In	Ft	Ft	In		Ft	Ft
3	In	Ft	Ft	In		Ft	Ft

Miscellaneous Information

Remarks:

A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.

Drilled By:

Perforated Intervals:



Line Speed:


Borehole Volume Calculations:

Other Information:

NOTICE: All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.

welenco, inc. January 22, 2007





SONIC-VDL-LOG

DEPTHS

5 in/100ft

100 Near P Wave (µsecs) 1100 100 Far P Wave (µsecs) 1100
100 Near Variable Density (µsecs) 1100 100 Far Variable Density (µsecs) 1100

350

400

450

500

