welenco

5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914 California Contractor's License No. 722373

ELECTRIC - GAMMA RAY - 3ARM CAL LOG

FILING I	NO.				NAVCO	,											
		COMF	PANY _	0	MAVCO	, 											-
		WELL		China Lake NWC B-917													
		FIELD	_	Ridgecrest											_		
		STATE		California				COUNTYSan Bernardino									
		LOCATI											OTHE	R SERV	ICES		
														HIR	AT	.020.	
		China	IWC South Range			inge							SON	IIC			
JOB NO	D .																
8740		SEC: 15	TWP: 2	295	RGE: 4	14E	і ат.: 35°	24'	19.5'		. 117° 1	5' 28.3'		AN.: N	It. Dial	olo	
Permanent Datur								, Elev. 3900					Elev.: K.B.			Ft.	
Log Meas				asing			0			ve Perm						Ft.	
Drilling Measured From			Grou	Ind	Level		,									3900	
Run			One												-		
Date			Jun.	26.	2008									_			
Depth-Driller			800			Ft				Ft				Ft			Ft
Depth-Logger			795			Ft				Ft				Ft			Ft
Top Logged Interval			400			Ft				Ft				Ft			Ft
Btm. Logged Interval			795			Ft				Ft				Ft			Ft
Casing-Driller			6	In	@ 410	Ft		In	@	Ft		In @	0	Ft		In @	Ft
Casing-Logger			6	In	@ 410	Ft		In	@	Ft		In @	9	Ft		In @	Ft
Bit Size			6			In				In				In			In
Time On Bottom			0845														
Type Fluid In Hole			Wate	er													
Density	Visco	osity															
рН	Fluid	Loss				ml				ml				ml			ml
Source of S	Sample		PIT														
Rm @ Measured Temp.			10.4	@	75	°F		a)	°F		@		°F		@	°F
Rmf @ Measured Temp.			8.3	@	75	°F		@)	°F		@		°F		@	۴F
Rmc @ Measured Temp.				0	9	°F		@)	°F		@		°F		@	۴F
Source Rn	nf Ri	mc	meas	s.													
Rm @ BHT				@	2	۴F		@	9	°F		@		°F		@	۴F
Time Since Circulation		ulation				Hr	-			Hr				Hr			Hr
Max. Rec. Temp.						۴F				°F				°F			۴F
Van No.	Locat	ion	L-18		SVC	•											
Recorded By			Mitch Tullis														
Witnessed By			Stev														

Miscellaneous Information
A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate
Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS
program converts Latitude and Longitude to Section, Township, and Range. The
NOTICE at the bottom of this heading also applies.
the fold at the bottom of this heading also applied.
-
Drilled By: Steves Pump & Well Drilling
NOTICE
All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations
are also subject to our General Terms and Conditions as set out in our current Price Schedule. welenco, inc. June 26, 2008

