



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914
California Contractor's License No. 722373

SONIC-VDL-LOG

FILING NO.	COMPANY <u>UNAVCO</u>		
	WELL <u>B-921</u>		
	FIELD <u>Ridgecrest</u>		
	STATE <u>California</u>	COUNTY <u>San Bernardino</u>	
	LOCATION: <u>Randsburg Wash Road</u>		OTHER SERVICES: Caliper BHTV ELOG
JOB NO. 9305	SEC: <u>16</u> TWP: <u>27S</u> RGE: <u>42E</u> LAT.: <u>35° 35' 11.0"</u> LONG.: <u>117° 27' 41.0"</u> MERIDIAN.: <u>Mt. Diablo</u>		

Permanent Datum: Ground Level, Elev. 2330 Ft. Elev.: K.B. _____ Ft.
 Log Measured From: Ground Level, 0 Ft. Above Perm. Datum D.F. _____ Ft.
 Drilling Measured From: Ground Level G.L. 2330 Ft.

Date	May. 19, 2008				
Type Of Log	Sonic				
Run	One				
Depth-Driller	618	Ft		Ft	Ft
Depth-Logger	616	Ft		Ft	Ft
Top Logged Interval	260	Ft		Ft	Ft
Btm. Logged Interval	609	Ft		Ft	Ft
Type Fluid In Hole	Water				
Fluid Level	260	Ft		Ft	Ft
Max Temp	86.8	°F		°F	°F
Operating Rig Time	1	Hr		Hr	Hr
Van No.	Location	LV-1	Bfld		
Recorded By	Dan Ihde				
Witnessed By	Liz Van Boskirk				

RUN NO.	BOREHOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	TYPE	FROM	TO
1	6 In	192 Ft	618 Ft	8.625 In	Steel	0 Ft	192 Ft
2	In	Ft	Ft	6.0 In	Steel	0 Ft	187 Ft
3	In	Ft	Ft	In		Ft	Ft

Miscellaneous Information

Remarks:

A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.
Hole filled with water prior to logging runs.
Hole cemented up and drilled out prior to logging.

Drilled By: Steves Pump and Well Drilling

Perforated Intervals:

Line Speed:

Borehole Volume Calculations:

Other Information:

NOTICE: All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.
welenco, inc. May 19, 2008

SONIC-VDL-LOG

DEPTHS

Single Page

240 Transit Time (μ Sec/ft) 40

0 Near P Wave (μ secs) 1200 0 Far P Wave (μ secs) 1200
 0 Near Variable Density (μ secs) 1200 0 Far Variable Density (μ secs) 1200

