

5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914

California Contractor's License No. 722373

## **ELECTRIC - GAMMA RAY - TEMPERATURE LOG**

FILING NO.													
	COMP	ANY _	UNA	vco								-	
	WELL	_	Blackwell II B900										
	FIELD	_	W. Lost hills										
	STATE	:	Calif	ornia		COUN	ΓΥ	Kern					
	LOCATION:								1	OTHER SERVIC	E6.		
										Acoustical		ew	
	Approx	orox 4 Mi. E. of Hwy 46 & Kecks Rd. Caliper Sonic											
JOB NO.													
7095	SEC: 11 TWP: 26S RGE: 18E LAT.: 35° 41' 10.0" LONG.: 120° 0' 6.5" MERIDIAN.: Mt. Diablo												
Permanent Dat	um:								Ft. E	Elev.: K.BFt.			
Log Measured		Top o	of Cas	ing	0	Ft. Ab		Perm. Datu		D.F.		Ft.	
Drilling Measured From: Ground Level G.L. 699										_Ft.			
Run		One											
Date		Aug.	08, 20	07									
Depth-Driller		800		Ft		I	-t		Ft			Ft	
Depth-Logger		759		Ft		I	-t		Ft			Ft	
Top Logged Interval		380		Ft		I	ŧ		Ft			Ft	
Btm. Logged Interval		758		Ft		I	ŧ		Ft			Ft	
Casing-Driller		6.25	In @	Ft	lr	ı@ I	ŧ	In @	Ft	lı	า @	Ft	
Casing-Logger		6.25	In @	Ft	Ir	ı@ I	ŧ	In @	Ft	lı	า @	Ft	
Bit Size		6		In		I	n		In			In	
Time On Bottom													
Type Fluid In Hole		Wate	r										
Density Visco	osity												
pH Fluid	Loss			ml		1	nl		ml			ml	
Source of Sample			'										
Rm @ Measured Temp.		N/A	@	°F	(	9 '	F	@	°F	(	<u> </u>	°F	
Rmf @ Measured Temp.		N/A	@	°F	0	9 '	F	@	°F	(	0	°F	
Rmc @ Measured Temp.			@	°F	0	9 9	F	@	°F	(	0	°F	
Source Rmf R	mc												
Rm @ BHT			@	°F	0	9 '	F	@	°F	(	D)	°F	
Time Since Circulation		N/A		Hr		I	ł۲		Hr			Hr	
Max. Rec. Temp.		76.6		°F		•	F		°F	•		°F	
Van No. Loca	tion	L-18		Svg									
Recorded By		Mitch Tullis											
Witnessed By		Saral	Nena	ator									

Miscellaneous Information
A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate
Latitude, Longitude & Elevation values. The Section, Township, and Range then
determined using the TRS program (TRS accuracy is not guaranteed). The TRS
program converts Latitude and Longitude to Section, Township, and Range. The
NOTICE at the bottom of this heading also applies.
Drilled By:
NOTICE
All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.  welenco, inc. August 08, 2007

UNAVCO Blackwell II B900 Jun 6, 2007 ELECTRIC - GAMMA RAY - TEMPERATURE LOG **DEPTHS** 5 in/100ft < - S.P. (5 mV/div) + > 64 Inch Normal (ohmmeter<sup>2</sup>/m) 50 0 Single Point (ohms) 50 77 Gamma Ray (api) 200 16 Inch Normal (ohmmeter<sup>2</sup>/m) 50 | 72 Temperature (°F) *550* 600 *650* 

Log Page No. 2 of 3 Pages

Time: 12:07:30 PM

