

5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914 California Contractor's License No. 722373

ELECTRIC - GAMMA - TEMP- CALIPER LOG

FILING N		4DANIX	UNAV	co									
	CO	MPANY _											_
	WEI	_L _	B-916										_
	FIEI	_D _	Maripo	osa Mii	ne								_
	STA	TF	Califor	rnia		COU	NT	, Iny	0				
		ATION:								10	THER SERV	ICES:	
	Ann	rox. 40 M	i NNE	of Invo	korn						Sonic		
	Арр	10X. 40 W	I. ININE (oi iiiyo	Keili						Hirat		
JOB NO.													
8947	SEC: 1	7TWP:_2	0S RGE	40E	LAT.: 36°	11' 33.3" L	ONG	117° 40'	6.9" _N	 ∕IERIDIAN	I.: Mt. Dia	blo	
Permanen	t Datum:	Grou	nd Leve	el		, Ele	v	6138		Ft. E	Elev.: K.B		_Ft.
Log Meası	ured From:	Grou	nd Leve	el		0 Ft. A	bo	ve Perm.					
Drilling Me	easured Fro	m: Grou	nd Leve	el	, 					_	G.L	6138	_Ft.
Run		Elog			Calip	per							
Date		Mar.	10, 2008	8	Mar.	10, 2008							
Depth-Drille	er	600		Ft	600		Ft			Ft			Ft
Depth-Log	ger	600		Ft	600		Ft			Ft			Ft
Top Logge	d Interval	350		Ft	350		Ft			Ft			Ft
Btm. Logge	ed Interval	600		Ft	600		Ft			Ft			Ft
Casing-Driller			In @ 30	65 Ft		In @365	Ft		In @	Ft		In @	Ft
Casing-Log	gger		In @	Ft		In @362	Ft		In @	Ft		In @	Ft
Bit Size		6		In	6		In			ln			In
Time On B	ottom	13:50)		14:1	5							
Type Fluid	In Hole	Wate	r										
Density	Viscosity												
pH	Fluid Loss			ml			ml			ml			m
Source of Sa	mple	N/A											
Rm @ Measu	ired Temp.		@	°F		@	°F		@	°F		@	°F
Rmf @ Measured Temp.		@ °F		@		°F	@		°F		@	°F	
Rmc @ Meas	ured Temp.		@	°F		@	°F		@	°F		@	°F
Source Rmf	Rmc												
Rm @ BHT			@	°F		@	°F		@	°F		@	°F
Time Since Circulation		2		Hr			Hr			Hr			Hi
Max. Rec.	Temp.	59		°F			°F			°F			°F
Van No.	Location	L-23	В	fld									
Recorded E	Ву	Craig	Corbel	II									
Witnessed	Ву												

Miscellaneous Information
A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate
Latitude, Longitude & Elevation values. The Section, Township, and Range then
determined using the TRS program (TRS accuracy is not guaranteed). The TRS
program converts Latitude and Longitude to Section, Township, and Range. The
NOTICE at the bottom of this heading also applies.
-
-
-
-
NOTICE
All between testings are entirtied based on testing.
All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule. welenco, inc. March 10, 2008



