

5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914 California Contractor's License No. 722373

ELECTRIC - GAMMA RAY - TEMPERATURE LOG

FILING N	-	MPANY _	UN	IAVCO											
			B004												
	WE	LL _													
	FIE	LD _	D Indian Springs												
	STA	ATE California COUNTY Kern													
LOCA		ATION:										OTHER SERVICES:			
	Арр	rox. 4 Mi	les N	NW of	Hwy	. 46 & Hwy & Kecks Rd					Acoustical Teleview Caliper Sonic				
ЈОВ NO 5645	SEC: _9	TWP:_2	26S_	RGE: 1	7E_	LAT.: <u>35° 41'</u>	22.8" LO	ONG	_{i.:} 120° 8' 28.2	MERIDIA	AN.: Mt. D	iablo			
Permanen	nt Datum:	Grou	ınd L	_evel			, Elev	<i>.</i>	929	Ft.	Elev.: K.	В	Ft.		
Log Meas	ured From:	Top	of Ca	asing			Ft. A	bov	ve Perm. Da	tum	D	.F	Ft.		
Drilling M	easured Fro	m: Grou	ınd L	_evel							G	.L92	9Ft.		
Run		One													
Date		Sep.	11, 2	2007											
Depth-Drill	595			Ft			Ft		F	ŧ		Ft			
Depth-Logger		595			Ft			Ft		F	ŧ		Ft		
Top Logged Interval		390			Ft			Ft		F	ŧ		Ft		
Btm. Logged Interval		592			Ft			Ft		F	ŧ		Ft		
Casing-Driller		6.25	In (<u>a</u> 400	Ft	lı	າ @	Ft	In	@ F	t .	In @	Ft		
Casing-Logger		6.25	In (<u>a</u> 400	Ft	lı	1 @	Ft	In	@ F	t :	In @	Ft		
Bit Size		6.125	5		In			In		l.	n		In		
Time On B	ottom														
Type Fluid In Hole		Wate	r												
Density	Viscosity														
pH	Fluid Loss				ml			ml		n	าไ		m		
Source of Sa	ample														
Rm @ Measured Temp.		N/A	@	75	°F	(<u> </u>	°F	@) °	F	@	°F		
Rmf @ Measured Temp.		N/A	@	75	°F	(<u>D</u>	°F	@) °	F	@	°F		
Rmc @ Measured Temp.			@		°F	(D	°F	@	°	F	@	°F		
Source Rm	f Rmc														
Rm @ BHT			@		°F	(<u> </u>	°F	@	°	F	@	°F		
Time Since Circulation		N/A			Hr			Hr		H	łr		Hi		
Max. Rec.	Temp.	77.7			°F			°F		•	F		°F		
Van No.	Location	L-18		Svg											
Recorded	Ву	Mitch	ո Tul	llis											
Witnessed By		Alan													

Miscellaneous Information
A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then
determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.
NOTICE at the bottom of this neading also applies.
Drilled By: WDC
NOTICE
All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule. welenco, inc. September 11, 2007

UNAVCO B901 Aug 28, 2007 ELECTRIC - GAMMA RAY - TEMPERATURE LOG **DEPTHS** 5 in/100ft < - S.P. (10 mV/div) + > 64 Inch Normal (ohmmeter²/m) 100 | 0 Single Point (ohms) 100 100 | 75 80 Gamma Ray (api) 300 16 Inch Normal (ohmmeter²/m) Temperature (°F) 390 400 450 500

Page Length: 390 - 550 Feet (160 Feet)

Time: 02:01:35 PM

Date: Sep 11, 2007

Log Page No. 1 of 2 Pages

Log Page No. 2 of 2 Pages

Page Length: 550 - 595 Feet (45 Feet)

Date: Sep 11, 2007

Time: 02:01:49 PM