



5201 Woodmere Drive, Bakersfield, CA 93313-- www.welenco.com--(800) 445-9914
California Contractor's License No. 722373

ELECTRIC - GAMMA RAY - TEMPERATURE LOG

FILING NO.	COMPANY <u>UNAVCO</u>		
	WELL <u>Rocks Road</u>		
	FIELD <u>San Juan Bautista</u>		
	STATE <u>California</u>	COUNTY <u>San Benito</u>	
	LOCATION: <u>3/4 mile East of Hwy 101 on North side of Rocks road.</u>		OTHER SERVICES: Caliper Sonic BHTV
JOB NO. 6867	SEC: <u>25</u> TWP: <u>12S</u> RGE: <u>3E</u> LAT.: <u>36° 51' 26.4"</u> LONG.: <u>121° 35' 27.6"</u> MERIDIAN.: <u>Mt. Diablo</u>		

Permanent Datum: Ground Level, Elev. 305 Ft. Elev.: K.B. _____ Ft.
 Log Measured From: Top of Casing, 0 Ft. Above Perm. Datum D.F. _____ Ft.
 Drilling Measured From: Ground Level G.L. 305 Ft.

Run	<u>One</u>						
Date	<u>Dec. 14, 2006</u>						
Depth-Driller	<u>700</u>	Ft		Ft		Ft	Ft
Depth-Logger	<u>691</u>	Ft		Ft		Ft	Ft
Top Logged Interval	<u>435</u>	Ft		Ft		Ft	Ft
Btm. Logged Interval	<u>690</u>	Ft		Ft		Ft	Ft
Casing-Driller	<u>6.25</u>	In @ <u>445</u>	Ft		In @	Ft	In @ Ft
Casing-Logger	<u>6.25</u>	In @ <u>445</u>	Ft		In @	Ft	In @ Ft
Bit Size	<u>6</u>	In		In		In	In
Time On Bottom	<u>8:35 AM</u>						
Type Fluid In Hole	<u>Water</u>						
Density	Viscosity						
pH	Fluid Loss						
			ml			ml	ml
Source of Sample	<u>Hose</u>						
Rm @ Measured Temp.	<u>13.1</u>	@ <u>75</u>	°F	@	°F	@	°F
Rmf @ Measured Temp.	<u>13.1</u>	@ <u>75</u>	°F	@	°F	@	°F
Rmc @ Measured Temp.		@	°F	@	°F	@	°F
Source Rmf	Rmc <u>meas</u>						
Rm @ BHT		@	°F	@	°F	@	°F
Time Since Circulation	<u>N/A</u>		Hr		Hr		Hr
Max. Rec. Temp.	<u>54.2</u>		°F		°F		°F
Van No.	<u>LV-1</u>	Location	<u>Bfld</u>				
Recorded By	<u>Dan Ihde</u>						
Witnessed By	<u>Alan Stroeve</u>						

Miscellaneous Information

A recreational GPS accurate to +/- 45 feet set for Datum NAD27 was used to calculate Latitude, Longitude & Elevation values. The Section, Township, and Range then determined using the TRS program (TRS accuracy is not guaranteed). The TRS program converts Latitude and Longitude to Section, Township, and Range. The NOTICE at the bottom of this heading also applies.

Hole filled with water just before logging.

Drilled By: Cascade Drilling

NOTICE

All interpretations are opinions based on inferences from electrical and other measurements and we do not guarantee the accuracy or correctness of any verbal or written interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.
welenco, inc. December 14, 2006

ELECTRIC - GAMMA RAY - TEMPERATURE LOG

DEPTHS
Single Page

< - S.P. (5 mV/div) + >

0 Gamma Ray (api) 300

0	64 Inch Normal (ohmmeter ² /m)	50	10	Single Point (ohms)	60
0	16 Inch Normal (ohmmeter ² /m)	50	45	Temperature (°F)	55

